



NATIONAL 2-WAY

2024



PREMIUM AUDIO SOLUTIONS



13 Years In Business

Committed 2 Excellence, Committed 2 You

N2W brings a wealth of experience in the wholesale communications accessory market, both locally and globally. We recognize the significance of fostering mutually beneficial relationships between you and your customers. Our products, boasting top-notch quality, rival OEM accessories at a fraction of the cost. With our extensive product line, you can elevate your profitability while providing premium audio options.

Radio dealers express their extreme enthusiasm for collaborating with N2W.

Table Of Contents

Table Of Contents.....	3	Mil Spec Speaker Mic. 8 Active Noise Canceling	42-43
How To Read Our Stock Numbers.....	4	Wireless Choice™ PTT	44-45
Bluetooth Speaker Mic.	6-7	Available Cable Lengths	46
Wireless Pendant	8	Receive Only Earpieces	47
Product Branding & Engraving.....	9	Microslide In-Ear Earpieces.....	48-49
Braided Fiber Cloth	10-11	Hi-Def In Ear Receive Only	50-52
Swivel Slim Earpieces	12-13	C-Ring Boom Noise Canceling Mic.....	53
SnapLock System PTT/Mic.	14-16	Hi-Def - Lightweight In-Ear Headset	54
Acoustic Tube Earpieces.....	17	Over & Behind Head - Lightweight Headsets	55
Earhook Earpieces.....	18	Lightweight Headsets	56
D, C Ring & Ear Bud Earpieces	19	Over & Behind Head - Lightweight Headsets	57-57
Swivel Earpieces.....	20	Heavy Duty Headsets	58
Retail Swivel Earpieces	21	Heavy Duty Headsets - Behind The Head.....	59
ECO Priced Earpieces.....	22-23	Hirose™ Quick Disconnect Adapters & Accessories	60-61
Wrap Tight Adjustable Sizing Earpieces.....	24-25	Chargers	62-63
Touch Free Hands Free PTT	26-27	Acoustic Tube Ear Tips.....	64
Snaplock White Series.....	28-29	Headset Mic. Foams & Ear Pads.....	65
N•ear.....	30-37	Adapters & Hirose	66
Speaker Microphones	38-39	Battery & Speaker Mic. Clips	67
Speaker Microphones Speaker Mic. 6.....	40-41	Accessory Connector Chart.....	68-75



How To Read Our Stock Numbers

Earpieces

AT	Acoustic Tube
ATS	Acoustic Tube Straight SWVL Swivel
EH	Ear Hook
EHLG	Ear Hook Large
DR	D-Ring
DRA	D-Ring Adjustable
EB	Earbud
SL	SnapLock
AT1W	Acoustic Tube 1 Wire
AT1W-M	Acoustic Tube 1 Wire with Motorola M Connector

Receive Only Earpieces

ROC	Receive Only Coiled Wire
ROS	Receive Only Straight Wire
ATROC15	Acoustic Tube Coil 15cm
ATROC15-3.5	Receive Only Acoustic Tube Coiled Wire with 3.5 Connector

Earpiece Type

+	Braided Fiber
1W	1 Wire In-Line PTT
1WB	1 Wire Lines Out Bottom Of PTT
2W	2 Wire
3W	3 Wire
AT+2W	Acoustic Tube Braided 2 Wire
AT+2W-M12	Acoustic Tube Braided Fiber 2 Wire with Motorola M12 Connector

Speaker Mics

SM	Speaker Mic
W	Water Proof
NC	Noise Canceling
SM6W	Speaker Mic. 6 Water Proof
SM6W-K	Speaker Mic. 6 Water Proof with K Connector

Headsets

HS	Headset
HSS	Headset Single Ear
HSD	Headset Double Ear
HSB	Headset Behind Head
HSBHD	Headset Behind Head
HSIE	Heavy Duty Headset In Ear
HSS	Headset Single Ear
HSS-Y3	Headset Single Ear with Vertex Y3 Connector

Parts

AD	Adapter
ETIP	Ear Tip
BC	Belt Clip
AD-M12-M	Adapter for Motorola M12 (Multi-Pin) to M (Single Pin)

BREAST CANCER AWARENESS

YOUR AMAZING CONTRIBUTION:

416 RESEARCH HOURS



Thank You!



GET MORE FREEDOM WITH



Speaker Mic 7 Now Wireless



Equipped with advanced Bluetooth technology, pairing your device is a breeze. Simply connect it to your compatible device and experience crystal-clear audio with no compromise in quality.

Wireless Speaker Mic.

Bluetooth PTT with 3.5mm jack for earphone



Function and Feature

- 3.5mm earphone jack
- Indication LED, Blue/Red/Purple
- Volume control
- Multifunction button, answer/end call
- Ingress protection level IP55
- Rugged Rotating Belt clip
- Magnetic charging cable
- Optional dock charger

Specification:

- Operating Temp: $-20^{\circ}\pm 2C \sim 50^{\circ}\pm 2C$
- Approx. Weight: 25g
- Size 60mm x 28mm x 15mm
- Bluetooth v5.0
- Echo cancellation, noise reduction
- High Quality DAC, Qualcomm CVC built-in
- 80MHz RISC MCU and 80MIPS Kalimba DSP
- Fast Current (260mA) battery charge
- HSP / HFP / A2DP / AVRCP / SPP/ BLE profile
- Support AES-128 and ECC-256
- PTT function: built-in
- Talking Range: Bluetooth class 2, 10 meters
- Display LED: Blue and Red
- DC Current: 21mA (Average)
- Battery: 260mAH rechargeable

Dock charger (optional)

- Connects up to 10 single chargers with one power cord.
- Charging time is 2.5 hours.



Supported devices:

Icom / Sepura / Kenwood / Hytera / IOS/Android PTT apps (e.g. Zello / Kodiak / Wave / ESchat / Sonim etc.) Optional adaptor dongle for two way radios (please inquire for more details on compatibility)

Wireless Pendant PTT & Mic.

Bluetooth PTT with 3.5mm jack for earphone

NEW



Function & Features

- 3.5mm earphone port
- Indication LED, Blue/Red/Purple
- Volume control
- Multifunction button, answer/end call
- Ingress protection level IP55
- Belt clip
- Magnetic charging cable
- Optional dock charger

Specification:

- Operating Temp: -20°±2C ~ 50°±2C
- Approx. Weight: 25g
- Size 60mm x 28mm x 15mm
- Bluetooth v5.0
- Echo cancellation & noise reduction
- High Quality DAC, Qualcomm CVC built-in
- 80MHz RISC MCU and 80MIPS Kalimba DSP
- Fast Current (260mA) battery charge
- HSP / HFP / A2DP / AVRCP / SPP/ BLE profile
- Support AES-128 and ECC-256
- PTT function: built-in
- Talking Range: Bluetooth class 2, 10 meters
- Display LED: Blue & Red
- DC Current: 21mA (Average)
- Battery: 260MAH rechargeable


Dock charger (optional)

- Connects up to 10 single chargers with one power cord.
- Charging time is 2.5 hours.



Supported devices:


Icom / Sepura / Kenwood / Hytera / IOS/Android PTT apps (e.g. Zello / Kodiak / Wave / ESchat / Sonim etc.) Optional adaptor dongle for two way radios (please inquire for more details on compatibility)



BRANDING

LASER, STICKERS & SILK-SCREEN

LASER AND STICKERS ORDERS SHIPPED IMMEDIATELY UPON ORDER



HOME OF THE ORIGINAL

BRAIDED FIBER CLOTH®

EARPIECES

3X STRONGER
90 POUND PULL-STRENGTH

Braided Fiber Cloth®

Braided Fiber Cloth® cords and PTT's are available in every earpiece in our catalog. Users love the way it lays on the body and how strong they are.

3X STRONGER

Acoustic Tube



C-Ring

Swivel

Ear Hook

Adj. D Ring



Available Setups

- 1-Wire Kit
- 2-Wire Kit
- Snaplock Earpiece System

SWIVEL SLIM

EARPIECES

COMFORTABLE
SLEEK & SLIM SOLUTION

Swivel Slim Earpieces

Braided Fiber Cloth® Swivel Slim 1 Wire

SWVLSLIM+1W

- Slim profile
- Tangle-free
- Enhanced comfort
- Slim in-line PTT & microphone with added shielding

Braided Fiber Cloth® Swivel Slim Boom 1 Wire

SWVLSLIMBOOM+1W

- Premium Flexible Boom Mic.
- Tangle-free
- Enhanced comfort
- A straight through slim in-line PTT

SnapLock SWVL SLIM

SL-SWVLSLIM



Receive Only SWVL SLIM

SWVLSLIMROC30



SNAPLOCK® EARPIECE SYSTEM

1 WIRE | 2 WIRE | 3 WIRE

AVAILABLE IN:
BRAIDED FIBER CLOTH
OR STANDARD RESIN LINE

SnapLock System PTT/Mic.

Braided Fiber Cloth® SnapLock 1 Wire

SL+1W



- Improved strength and durability
- Tangle-free
- A straight through in-line PTT / microphone with added shielding
- With male SnapLock connector

High-Quality SnapLock® Metal-to-metal connector



SnapLock® 2 Wire

SL2W

- Clip-on PTT with microphone
- With male SnapLock connector



Braided Fiber Cloth® SnapLock 1 Wire

SL+1WB



- Improved strength and durability
- Tangle-free
- Noise canceling premium microphone with clip-on PTT
- With male SnapLock connector

Braided Fiber Cloth® SnapLock 2 Wire

SL+2W



- Improved strength and durability
- Tangle-free
- Noise canceling premium microphone with clip-on PTT
- With male SnapLock connector

SnapLock® 1 Wire

SL1W

- A straight through in-line PTT with microphone
- With male SnapLock connector





SnapLock® System Earpieces

1 or 2 Wire PTTs Braided Fiber® or Resin Cord



SnapLock In-Ear Hi-Def

SL-HD+IEG Gel Tip
SL-HDIEF Foam Tip



SnapLock Earhook

SL-EH Standard
SL-EHLG Large speaker



SnapLock Swivel

SL-SWVL



SnapLock D&C-Ring

SL-DR Standard
SL-CR C-Ring



SnapLock Hi-Def Acoustic Tube

SL-ATHD+ Knowles Speaker



SnapLock Acoustic Tube

SL-AT Premium Acoustic Tube
SL-ATR Economically priced for
retail and hospitality



SnapLock Covert Ear Tips

SL-ET+2-W White
SL-ET+2-B Black



SnapLock 3.5 Connector

SL-F3.5 Female
SL-M3.5 Male



Acoustic Tube Earpieces

Braided Fiber Cloth® Acoustic Tube 1 Wire

AT+1W

- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- A straight through in-line PTT / microphone with added shielding



Braided Fiber Cloth® Acoustic Tube 2 Wire

AT+2W

- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- Noise canceling premium microphone



Acoustic Tube 1 Wire

AT1W

- A straight through in-line PTT with microphone
- Surgical tubing with UV protection



Acoustic Tube 2 Wire

AT2W

- Clip-on PTT with microphone
- Surgical tubing with UV protection



Acoustic Tube 3 Wire

AT3W

- Surgical tubing with UV protection
- Palm PTT
- Discreet clip-on microphone



Earhook Earpieces

Braided Fiber Cloth® Ear Hook 1Wire

EH+1W

- Improved strength and durability
- Tangle-free
- Enhanced comfort
- A straight through in-line PTT/ microphone with added shielding



Braided Fiber Cloth® Ear Hook 2 Wire

EH+1W

- Improved strength and durability
- Tangle-free
- Noise canceling premium microphone with clip-on PTT



Ear Hook 1 Wire

EH1W

- A straight through in-line PTT with microphone



Ear Hook 2 Wire

EH2W

- Clip-on PTT with microphone



Ear Hook with large speaker

EHLG1W

- Oversized Ear Hook speaker
- A straight through in-line PTT with microphone



D, C Ring & Ear Bud Earpieces

D-Ring Adjustable 1 Wire

DR1W

DRA1W

- A straight through in-line PTT with microphone



C-Ring 1 Wire

CR1W

- A straight through in-line PTT with microphone



Ear Bud 1 Wire

EB1W

- A straight through in-line PTT with microphone



Swivel Earpieces

Braided Fiber Cloth® Swivel 1 Wire

SWVL+1W

- Improved strength and durability
- Tangle-free
- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear increased hygiene for multi-users



Swivel 1 Wire

SWVL1W

- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear increased hygiene for multi-users



Swivel 2 Wire

SWVL2W

- Clip-on PTT with microphone
- Enhanced comfort
- Worn outside ear increased hygiene for multi-users



Retail Swivel Earpieces (Coiled Wire)



SMALLER PTT & COILED CORD



Motorola 2 Pin (MA)



Kenwood 2 Pin (K)



Kenwood PKT-23 (K2)

ECO PRICE

1-YEAR WARRANTY

25% TO 35% LOWER PRICING

ECO Pricing Earpieces

Ear Hook 1 Wire

EH1WB(eco)

- Lines out Bottom PTT with Microphone



Swivel 1 Wire

SWVL1WB(eco)

- Lines out Bott PTT with Microphone



D-Ring 1 Wire

DR1WB(eco)

- Lines out Bottom PTT with Microphone



Acoustic Tube 1 Wire

AT1WB(eco)

- Lines out Bottom PTT with Microphone



Acoustic Tube 2 Wire

AT2W(eco)

- 25% 35% Lower Pricing
- Quality Microphone
- Loud Speaker
- Strong 360 Degree Rotating Clip
- Replaceable Parts
- 1 Year Warranty



WRAP TIGHT

ADJUSTABLE
SIZING EARPIECE

ADJUSTABLE CORD LENGTH FOR
DIFFERENT SIZE PEOPLE

Wrap Tight Adjustable Sizing Earpieces



Why Choose Wrap Tight?

- Make it long or make it short
- Wrap-up the extra line for perfect fit
- Premium in-line microphone
- Strong rotating clothing clip

KEVLAR
Cords on All Earpieces

- Industry-leading 90lb pull-strength
- Specialized cable for flexibility in various temperature environments



Swivel Wrap-Tight

SWVLWT1W

- A straight through in-line PTT with microphone



Ear Hook Wrap-Tight

EHWT1W

- A straight through in-line PTT with microphone

- Molded stress relief at connector



TOUCH FREE

HANDS FREE PTT

AVAILABLE WITH:
SNAPLOCK EARPIECES

AVAILABLE IN:
1 OR 2 WIRE KITS

Touch Free Hands Free PTT

Wristband Easily Snaps On

The silicone material allows for a fast snap onto your wrist easily for a clean comfortable fit.

Available in SnapLock
Touch-Free 1 Wire Kits



Healthcare Industry

Medical teams that require sanitation at all times can wear the wrist sensor PTT to speak without touching the earpiece PTT.



Construction / Mechanics

Workers with thick gloves or greasy hands can wear the wrist sensor PTT to activate without touching the earpiece PTT.



SNAPLOCK[®]

WHITE SERIES



FOR USERS THAT
WANT A LIGHTER LOOK




ITEM # SL+EHW




ITEM # SL-CRW

BRAIDED FIBER OR RESIN LINES



ITEM # SL+1WW



ITEM # SL-1WW



ITEM # SL+1WWMIC-3.5



ITEM # SL-1WWMIC-3.5



SPARK GUARD PROTECTION

PREMIUM SPEAKER MICROPHONE
MEMBRANE COVER

PROTECTS SPEAKER AGAINST HOT
METAL SHAVINGS



Speaker Microphones

Compact Size

SM1

- Dimensions: 2.1" x 1" x 2.7"
- Compact, heavy-duty design



Standard Size

SM2

- Dimensions: 2.3" x 1.1" x 3"

Passive Noise Canceling

SM2NC

- IP54 Dust & water resistant
- Heavy gauge 4.2mm cable
- Strong 360-degree rotating clip



Compact Size

SM3

- Dimensions: 2" x 1" x 2.8"
- Most economical
- Newly designed lightweight



Heavy Duty

SM4

- Dimensions: 2.4" x 1.2" x 3"
- IP55 rated/ water and dust resistant

SM4W

- Available in waterproof IP67
- No accessory jack



Mobile Palm Mic.

PM2

- Dimensions: 2.25" x .8" x 2"
- Includes mobile hang-up clip
- RJ45 connector
- IP54 rated water and dust resistant



KEVLAR
Cords on All Speaker Mics

SPEAKER MIC. 6

MULTIPLE VERSIONS

AVAILABLE IN:
WATER PROOF IP67
ACTIVE NOISE CANCELING
EMERGENCY BUTTON
EXTRA-LONG CORD
SPARK GUARD PROTECTION



Speaker Microphone 6 Options



SM6

- Compact, heavy-duty design
- IP55 rated water and dust resistant
- Dimensions: 2.25" x .8" x 2"
- Extra-Long, heavy-duty cord



SM6WLNC

- Dual Mic. Active Noise Canceling
- Extra-Long heavy-duty cord



SM6WL

- Same features as above SM6W
- Extra-Long heavy-duty cord



SM6WE

- Compact, heavy-duty design
- Heavy-duty, fire-retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"
- Emergency Button



SM6W

- Compact, heavy-duty design
- Heavy-duty, fire-retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"



SM7

- Great high and low volume
- IP67 water & dust resistant
- Led Indicator charging
- Volume control
- LED front light
- Replaceable lithium-ion 1500mAh battery
- Dimensions: 2.3" x 1.1 x 3"

NOISE CANCELING

PREMIUM ACCESSORIES



Mil Spec Speaker Mic. 8 Active Noise Canceling



Dual Mic. Technology

- Performance speaker with
- Integrated DSP hard/software
- For active noise cancellation
- Via multiple microphones.

Features

- MIL-STD810G Tested
- IP67 water protection
- Active noise cancellation
- Dual microphones
- Flame retardant
- Large swivel belt clip w/ ring
- Nexus 5 pole jack for headset
- Audio jack for earphone 3.5mm
- Large front PTT
- Side PTT
- Volume (top) toggle switch
- Green or grey front PTT
- Red Transmit LED
- Optional emergency button
- Optional function button





WIRELESS CHOICE[®]

WITH REPLACEABLE COIN CELL BATTERY



CONNECT TO OUR WIRELESS PTT.

PERFECT FOR ADDING EXTRA PTTS WHERE YOU NEED THEM.

CAPABLE OF CONNECTING MULTIPLE WIRELESS PTTS.



Wireless PTT for All Earpieces



C-Ring



Swivel



Ear Hook



Adj. D Ring



N•ear Original



Acoustic Tube



Ambient Noise Control



Available Cable Lengths

ATROC10



4 Inch Length

ATROC15



6 Inch Length

ATROC30



12 Inch Length

ATROS120



48 Inch Length






Receive Only Earpieces

◀ knowles

Hi-Def Premium Voice


ATHDROC30-2.5 12" long 2.5mm



◀ knowles


Hi-Def Premium Voice

HDIEG+ROS30-2.5 12" long 2.5mm
HDIEG+ROS30-3.5 12" long 3.5mm



Acoustic Tube


ATROC10-2.5 4" long 2.5mm
ATROC15-2.5 6" long 2.5mm
ATROC10-3.5 4" long 3.5mm
ATROC15-3.5 6" long 3.5mm
ATROC30-2.5 12" long 2.5mm
ATROC30-3.5 12" long 3.5mm
ATROS120-3.5 48" long 3.5mm



N ear


Single or Dual Ear

RO-360-22-2.5S 22" long 2.5mm
RO-360-22-3.5S 22" long 3.5mm
RO-360-22-2.5SD 22" long 2.5mm
RO-360-22-3.5SD 22" long 3.5mm




D-Ring

DRROC15-2.5 6" long 2.5mm
DRROC15-3.5 6" long 3.5mm
DRROC30-3.5 12" long 3.5mm




D-Ring Adjustable

DRAROC15-2.5 6" long 2.5mm
DRAROC15-3.5 6" long 3.5mm
DRAROC30-3.5 12" long 3.5mm




Ear Hook

EHROC15-2.5 6" long 2.5mm
EHROC15-3.5 6" long 3.5mm
EHROC30-3.5 12" long 3.5mm




Swivel

SWVLROC15-2.5 6" long 2.5mm
SWVLROC15-3.5 6" long 3.5mm
SWVLROC30-3.5 12" long 3.5mm




Braided Fiber
Receive Only SnapLock

SL+ROS120-2.5 48" long 2.5mm
SL+ROS120-3.5 48" long 3.5mm



Ear Bud

EBROC15-2.5 6" long 2.5mm
EBROC15-3.5 6" long 3.5mm



See SnapLock System page

NEW

MICROSLIDE[®]

PERFECT ADJUSTABLE MICROSPEAKER





MICROSLIDE

PERFECT ADJUSTABLE MICROSPEAKER

HDIE

The Microslide earpiece is designed to be the most comfortable, covert, and best-sounding earpiece for 2-way radios. Simply place on your left or right ear and slide the cable for perfect in-ear microspeaker placement.

ADJUSTABLE SLIDE



Learn More!




Connecting to Radio

SnapLock Option:

Seamlessly connect to your radio using a single wire or dual wire setup.

Choice PTT:

Connect to your radio with a Wireless PTT option.




Connecting to Speaker Mics

Simply plug in your earpiece directly into your speaker mic. audio port.



Wax Filter Included

HDIE earbuds are designed with ear wax filtration to help protect your microspeaker and give longevity to your earpiece.



MICROSLIDE HIGHLIGHT CHECKLIST:



Best Value In The Market



Adjustable Over The Ear Design



Hi-definition Microspeaker



Ultra Light & Low Profile




100% Environmental Awareness



0% Ear Fatigue

Hi-Def Premium



SnapLock Knowles In-Ear

SL-HDIE

- 100% Situational Awareness Tip
- In-Ear Micro Speaker Technology
- Knowles Speaker
- Zero Ear Fatigue



SnapLock Knowles In-Ear

SL-HDIEF

- Foam Ear Tip
- Mechanical On/Off Ambient Noise Control
- Knowles Speaker
- Engineered for premium voice quality



SnapLock Acoustic Tube Knowles Speaker

SL-ATHD+

- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality



SnapLock Knowles In-Ear

SL-HD+IEG

- Gel Ear Tip
- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality



Hi-Def Premium

Hi-Def Receive Only Acoustic Tube

Item: ATHDROC30-3.5

- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removable Clip
- Replaceable Acoustic Tube Screw In
- Comes with Three Ear Tips



Hi-Def Snaplock Acoustic Tube

Item: SL-ATHD+

- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removable Clip
- Works with all Snaplock Base PTT Systems
- Replaceable Acoustic Tube Screw In
- Comes with Three Ear Tips





Hi-Def In Ear Receive Only


Situational Awareness Ear-Tip Included



Specifications

Impedance	1200 + 10%	(At 1.0kHz/0.2V)
Rated Input Power	1mW	
Sensitivity	103db _ 3db @ 1KHz	
Frequency Response	100Hz~10KHz	

Included Parts



C-Ring Boom Noise Canceling Mic.

NEW

C-Ring Earpiece With In-line PTT

ITEM # CR1WBOOM

- Flexible boom microphone
- Enhanced Comfort (Left or Right Ear)
- Industry-Leading 30lb pull-strength
- Connectors available for most radio models





Hi-Def - Lightweight In-Ear Headset

HSHD+IEF

Premium Speakers
Engineered specifically
for Voice Quality



- Hi-Def premium sound
- Noise Canceling Mic.
- Lightweight and comfortable
- Adjustable behind the head band
- Metal Headband
- Braided Fiber Cloth cords

Noise Canceling
Boom Mic.



Premium Noise
Reduction Foam Tips
24.9 ~ 48.4 dB Reduction



Mechanical On-Off
to Ambient Noise



Over & Behind Head - Lightweight Headsets



Single Side Lightweight
Over the Head Headset

HSS

- In-line PTT
- Adjustable over the head band
- Metal Headband



Double Side Lightweight
Over the Head Headset

HSD

- In-line PTT
- Adjustable over the head band
- Metal Headband



Lightweight
Behind the Head Headset

HSB

- In-line PTT
- Lightweight wire frame



Lightweight H/D
Behind the Head Headset

HSBHD

- In-line round mushroom PTT with coil cable
- Adjustable head strap
- Heavy duty wire frame

Lightweight Headsets

Hard Hat Headset

HS2

- Lightweight heavy duty hard hat headset
- High quality noise canceling microphone
- Super comfortable with foam ear pads
- Clips right into hard hat
- PTT on earmuff
- Detachable PTT Cable
- Cable sold separately HS4-CAB
- Works with all radio models



Noise Canceling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24db - 33db

Lightweight Padded Headset

HS9

- Adjustable over head dual ear muffs
- High quality noise canceling microphone
- Quality foam ear pad, replaceable
- Detachable coil cable
- Cable sold separately HS4-CAB
- Works with all radio models



HS-PTTCAB

Noise Canceling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24db - 33db

Over & Behind Head - Lightweight Headsets

Lightweight Flex Headset

HS3

- Lightweight heavy duty hard hat headset
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise canceling dual-diaphragm microphone
- Foam Replaceable earmuff pads
- Detachable coil cable
- Cable sold separately HS5-CAB
- Works with all radio models



Noise Canceling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24db - 33db

Lightweight Flex Headset

HS3G

- Lightweight and tight collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise canceling dual-diaphragm microphone
- Foam Replaceable earmuff pads
- Detachable coil cable
- Cable sold separately HS5-CAB
- Works with all radio models



Noise Canceling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24db - 33db



Heavy Duty Headsets

Single Muff Headset

HS1

- Adjustable over head dual ear muffs
- High quality noise canceling microphone
- Molded gel ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS4-CAB
- Works with all radio models



HS-PTTCAB

Noise Canceling Boom Mics | Premium Molded Gel Ear Pads | SNR Rating 24db - 33db

Single Muff Headset

HS1

- Adjustable over head dual ear muffs
- High quality noise canceling microphone
- Molded gel ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS4-CAB
- Works with all radio models



HS-PTTCAB

Noise Canceling Boom Mics | Premium Molded Gel Ear Pads | SNR Rating 24db - 33db



Heavy Duty Headsets - Behind The Head

PTT in Cable Headset

HS5

- Behind The Head Headset
- Adjustable head band accommodates headgear
- Coil Cable sold separately HS5-CAB, NX-CAB

Available Colors



PTT on Earmuff Headset

HS4

- Premium molded gel ear pads
- Includes spare boom mic. shield
- Flexible boom mic.
- Microphones are noise canceling/directional mic.
- SNR rating 33db H=33db M=32db L=24dB

Available Colors



Volume and PTT on Headset

HS8

- Behind The Head Headset
- Adjustable head band accommodates headgear
- Volume control on right ear cup
- Push-to-talk on left ear cup
- Cable connector on both ear cups
- Coil Cable sold separately HS4-CAB



HIROSE QUICK DISCONNECT



AVAILABLE FOR **ALL**
EARPIECE OPTIONS

HIROSE ADAPTERS AVAILABLE
FOR ALL MULTI-PIN RADIO MODELS

Hirose™ Quick Disconnect Adapters & Accessories

Allowing users to quickly attach and detach accessories



Includes PTT and 3.5mm
Accessory Port
AD-M3-Hirose



Motorola Radios
AD-M15-HIROSE



Motorola
MOTOTRBO Radios
AD-M12-Hirose



Kenwood Radios
AD-K1-Hirose

Multiple Adapter Options



Motorola
AD-M12-M



Motorola
AD-M15-M



Kenwood
AD-K1-K

PREMIUM 12 BANK CHARGER FOR KENWOOD PKT23

Enhance your charging capabilities with our 12 Unit Charger—an indispensable accessory designed to optimize your communication setup. Elevate your charging experience as this robust charger ensures that your Kenwood PKT23 radios are consistently powered for uninterrupted communication.



Includes free custom labeling



1 Year Warranty:

Experience peace of mind, backed by our commitment to quality and durability. This charging solution comes with a 1-year warranty, ensuring your investment is protected.



Compact Design:

Experience excellence with this 12 unit charger – boasting a compact design, premium components, and superior craftsmanship.



Best Value in the Market:

Premium quality meets affordability. National Two Way is dedicated to delivering the best value on the market.



Features

- Smart Reader - Automatically measures battery voltage for proper charging requirements
- Wall Mountable
- Green LED shows power to the charging cup
- Solid blue light on your radio indicates the radio is charging
- Blue light on the radio turns off when radio is fully charged

Chargers



Single Unit Rapid Charger

CH1B

- Rapidly charges up to 95% of Battery capacity then trickle charges the last 5% per cup
- Colored Charging Indicator Lights
- Smart Reader - Automatically measures battery voltage for proper charging requirement
- Wall Mountable
- 1 Year Warranty



6 Bank Square Charger

CH6BS

- Rapidly charges up to 95% of Battery capacity then trickle charges the last 5% per cup
- Colored Charging Indicator Lights
- Smart Reader - Automatically measures battery voltage for proper charging requirement
- Wall Mountable
- 1 Year Warranty



10 Bank Square Charger

CH10BS

- Rapidly charges up to 95% of Battery capacity then trickle charges the last 5% per cup
- Colored Charging Indicator Lights
- Smart Reader - Automatically measures battery voltage for proper charging requirement
- Wall Mountable
- 1 Year Warranty

Acoustic Tube Ear Tips & Parts



Tan/Black
Clear 1, 2, 3
10 or 100 Pack
ETIP



Molded Ear Tips
Black/Clear/Pink
S,M, L, Right/Left



Ear Fin Tips
S,M, L, Right/Left
EFIN




Clear 10 or 100 Pack
ETIP3-C



Hi-Def Ear Tip
ETIPHDG-MLMR



Premium
Noise Reduction Ear Tip
24~48 dB
1,10 or 100 Pack
ETIP-FOAM



Premium Noise
Reduction Ear Tips
24~48 dB
ETIP-FOAM & Plug



YELLERS Noise
Reduction ear tip
1,10 or 100 pack



Acoustic Tube
Replacement Kit
ATCOMPSET




Acoustic Tube
& Clear Tips
C4TUBESET



Clear Tips Surgical
Tubing with Clear Tips
B4TUBESET



Acoustic Tube only
Clear/Black



Acoustic Surgical
Tubing with Clear Tips
B4TUBESET



Acoustic Tube to Clip
Connector - Black
B4JOINTB




Acoustic Tube to
Ear Tip Elbow
LJOINT



Acoustic Tube
Clip - Black
B4CLIPB

Headset Mic. Foams & Ear Pads



Ear Hook 10 Pack
ESSB-10-Black



MICMB Mic. Sponge
1 Pack/10 Pack
HSB, HSS, HSBHD & HSD



MICLB Mic. Sponge
1 pack/10 pack
HS4, HS5, HS7, HS8



Adjustable D-Ring 2
Pack/10 Pack
DRATIP



EMEGPAD Gel Pad
HS4, HS5, HS7, HS8



HSLWEP Earpad
HSS & HSD



Cable Clip
Fits 2.0mm &
2.5mm cable



Clip 2.0-3.8mm cable
CLIPA




ATHDCLIP



Wired Finger PTT
FPTT



USB-MICRO Cable



Speaker Mic. 7
Replacement Battery
SM7BAT



Adapters & Hirose

Adapters



AD-M12-M
Motorola



AD-M15-M
Motorola



AD-M4-M
Motorola



AD-M5-3.5
Motorola



AD-K1-K
Kenwood



AD-Y3-FL3.5
Vertex



ADC-Y3-FL3.5
Vertex

CALL FOR OPTIONS ON NON-US-STOCKED ADAPTERS

Hirose



AD-M3-HIROSE
Motorola



AD-M15-HIROSE
Motorola



AD-M12-HIROSE
Motorola



AD-K1-HIROSE
Kenwood



Battery & Speaker Mic. Clips

Battery Clips



BC1 Clip
CP110 & RDU2080



BC2 Clip
CP200



BC3 Clip
HT750 & HT1250



BC4 Clip
Motorola XPR6550



BC5 Clip
Motorola XPR3500 & XPR7550

CALL FOR OPTIONS ON NON-US-STOCKED CLIPS

Speaker Mic. Clips



Replacement Clip
SM2CLIP



Replacement Clip
SM3CLIP



Replacement Clip
SM6CLIP



Replacement Clip
PMCLIP




Image	Part no.	Works With Radio Models:
	M	Works with: BearCom - BC10, BC90, BC95, BC120, BC130, BC250D, BC300D BlackBox - BlackBox Plus.






Image	Part no.	Works With Radio Models:
	K	Works with: BearCom - BC200
	S3A	Works with BearCom: BC1000
	S3B	Works with BearCom: BC100






Image	Part no.	Works With Radio Models:
	M5	Works with DigaTalk+: DTP9850
	K	Works with DigaTalk+: DTP9750
	KM	Works with DigaTalk+: DTP8750, DTP8700





Image	Part no.	Works With Radio Models:
	M3	Works with EF Johnson: Viking VP600, VP900, 5100 ES, 51SL
	K1	Works with EF Johnson: Viking 5000 Series- VP5230, VP5330, VP5430 Viking 6000 Series- VP6230, VP6330, VP6430







Image	Part no.	Works With Radio Models:
	HR2	Works with L3Harris: P5300/5400/5500 Series- P5350, P5370, P5450, P5470, P5550, P5570, P7300 Series - P7370, P7350 XG Series - XG-15P, XG-25P, XG-75P
	HR3	Works with L3Harris: XG100P, XL185P, XL200P
	H6	Works with L3Harris: HDP100, HDP150, HDP250 Momentum
	H7	Works with L3Harris: HDP-250



Image	Part no.	Works With Radio Models:
	H4	Works with Hytera: Business Digital- BD502i, BD552i, BD612i PD4 Series- PD402i, PD412i, PD482i PD5 Series- PD502i, PD562i Analog- TC-508, TC-518, TC-580, TC-610, TC-700
	H5	Works with Hytera: TC320
	H6	Works with Hytera: PD7 Series- PD702i, PD752i, PD782i, PD792i-Ex PD982i
	H7	Works with Hytera: H Series- HP602, HP682, HP702, HP782 PD6 Series- PD602i, PD662i, PD682i X1pi, X1e
	H8	Works with Hytera: BD3 Series, PD3 Series, HALO - PNC370, X1e, X1pi
	H9	Works with Hytera: PNC360, PNC380
	M4	Works with Hytera: TC-980
	M5	Works with Hytera: TC-610P, TC700P, TC-780, TC-780P, TC-780M







Image	Part no.	Works With Radio Models:
	62B	Works with Icom: Analog- F200 Network- IP100H, IP601H Aviation- A25
	63A	Works with Icom: Analog- F3011/F4011, F3001/F4001 DAS- F1100D/F3100D, F1100DT/F3100DT, F3210D/F4210D, F3230D/F4230D
	63B	Works with Icom: IC-F1000 Series, IC-F2000 Series, IC-F1100D Series, IC-F2100D Series, IC-F3031B, IC-F3230D/TD6, IC-F4031B, IC-F4230D/TD6, IC-F31WH41W, V88. BearCom BC1000 - Waterproof
	E2	Works with Icom: Analog- F3101/F4101 [9 Pin]
	H	Works with Icom: F3300, F3301D, F3300D, F3400D, F4301D, F3203, F4300D, F4400DT, F5400, F6400D/D6, F7010/F7020, F7040, F7210T, F9011, F9021, F92D, F92D SAT-100




Image	Part no.	Works With Radio Models:
	K	Works with Kenwood: NEXEDGE/DMR- NX-1202/1302, NX-3220/3320/3420, NX-P1000 DMR Only- TK-D340/TK-D340 Analog- TK-G312/3312, TK-G317/3317, TK-2300/3300, TK-2400/3400 ProTalk- TK-G400/3400, TK-3230DX
	K1	Works with Kenwood: NEXEDGE/DMR/P25- NX-3200/3300, NX-5200/5300/5400 NEXEDGE Only- NX-2100, NX-2000/300 P25 Only- TK-6220/5320
	K2	Works with Kenwood: PKT-23
	K5	Works with Kenwood: NX-P000
	KM	Works with Kenwood: Kenwood Mobile Palm Mic

maxon

Image	Part no.	Works With Radio Models:
	M	Works with Maxon: TJ-3100V, TJ-3400U, TJ-3400UM, TP-5116, TP-5416, TP-8102, TP-8402, TP-8000BT Series, TP-8000R Series, TS-2116, TS-2416, TS-3116, TS-3416
	M12	Works with Maxon: TPD-1116, TPD-1416, TPD-1124, TPD-1424
	M14	Works with Maxon: TPD-8124, TPD-8424
	K	Works with Maxon: TS-3416K

MIDLAND

Image	Part no.	Works With Radio Models:
	S1	Works with Midland: CXT Series: CXT240, CXT250, CXT280 GXT Series: GXT200, GXT225, GXT250, GXT255, GXT300, GXT310, GXT325, GXT400, GXT444, GXT450, GXT500, GXT550, GXT555, GXT565, GXT600, GXT635, GXT650, GXT656, GXT661, GXT700, GXT710, GXT720, GXT735, GXT740, GXT745, GXT750, GXT756, GXT757, GXT760, GXT771, GXT775, GXT781, GXT785, GXT789, GXT795, GXT797, GXT799, GXT800, GXT808, GXT850, GXT881, GXT900, GXT950, GXT991, GXT1000, GXT1050, GXT1091, GXT2000, GXT2050, GXT5000 LXT Series: LXT80, LXT100, LXT101, LXT110, LXT112, LXT114, LXT118, LXT210, LXT216, LXT276, LXT300, LXT303, LXT305, LXT310, LXT312, LXT315, LXT316, LXT318, LXT319, LXT320, LXT322, LXT323, LXT324, LXT326, LXT328, LXT330, LXT335, LXT340, LXT345, LXT350, LXT360, LXT365, LXT376, LXT380, LXT385, LXT410, LXT420, LXT435, LXT440, LXT460, LXT480, LXT490, LXT500, LXT535, LXT560, LXT600 XT Series: XT14, XT18, XT20, XT22, XT24, XT25, XT26, XT27, XT28, XT30, XT511 X-Talker Series: T31VP, T51VP3, T55VP3, T61VP3, T65VP3, T71VP3 and T75VP3

MOTOROLA














Image	Part no.	Works With Radio Models:
	M	Works with Motorola Solutions: Commercial- R2, CP100d, CP200d, CP200, CP200XL, CP155, BPR40, BPR40d On-Site Business Radios- CL01110, CL01410, VL50, DTR Series, R2 Series
	MA	Works with Motorola Solutions: On-Site Business Radios CL01110, CL01410, CP100d, DLR1020, DLR1000, DTR410, DTR550, DTR600, DTR700, RDM2020, RDM2000D, RDU2020, RDU2000D, RDU4100, RDU4100D, RDV2020, RDV2000D, RDV6100, RMM2000, RMM2050, RNU2040, RNU2000D, RMV2000, XU1100, XU2100, XU2000, XVP100, XVP2100
	M3	Works with Motorola Solutions: Astro25- XT01000, XT02000, XT03000, XT03500, XT05000
	M4	Works with Motorola Solutions: Wave Series- MT7500/MT5000/MT500, MTX
	M5	Works with Motorola Solutions: Wave Series- EX500/EX00/EX0
	M12	Works with Motorola Solutions: APX Series- 3000, 7000, 6000, 4000, 3000, 1000, 900, 800, 2200, NEXT MOTOTRBO Legacy Series- XPR0300/0350/0380, XPR0000/0500/0530 MOTOTRBO Series- XPR7300/7500/7900, XPR7300e/7500e/7900e
	M14	Works with Motorola Solutions: MOTOTRBO Series - CURVE, DLR1020, DLR1000, 0L300, 0L7500/7500e/7500, 0L3500e, 0L7500e/7500e/7900e WAVE- TLK100, TLK110, Niro- 0LN1000
	M15	Works with Motorola Solutions: MOTOTRBO Series- XPR3300/3500, XPR3300e/3500e
	M17	Works with Motorola Solutions: CLP1010, CLP1040, CLP1000
	M19	Works with Motorola Solutions: CLP110e, CLP1010e, CLP1000e
	M20	Works with Motorola Solutions: R7 (Global), ICN (Global), MDP000
	MM	Works with Motorola Solutions: XPR5000 Series Mobile Radio Palm Mic
	MM1	Works with Motorola Solutions: CM200d, CM300d, XPR 2500 Mobile Radio Palm Mic WAVE - TLK150



Image	Part no.	Works With Radio Models:
	Y3	Works with Vertex Standard Motorola Solutions: VX-261, eVX531, eVX534, eVX539, VX10, VX130, VX160, VX180, VX210, VX210A, VX230, VX231, VX261, VX264, VX300, VX350, VX351, VX354, VX400, VX410, VX420, VX451, VX454, VX459
	Y5	Works with Vertex Standard Motorola Solutions: VTX-720, VDX720, VX820, VX821, VX824, VX829, VX871, VX874, VX879, VX920, VX921, VX924, VX971, VX974, VX979
	Y6	Works with Vertex Standard Motorola Solutions: eVX- S24



Image	Part no.	Works With Radio Models:
	BK2	Works with Bendix King: KNG: KNG2
	K	Works with Relm: RPU416, RPV516, RPU499, RPV599X, RPV516A, RPV599A Plus, RPU416A, RPU499A Plus, RPU4200
	M5	Works with Relm: RPV3000/3600/RPU3000/3600/3300C, RPV7200/7500
	M	Works with Relm: RP6500



Image	Part no.	Works With Radio Models:
	H4	Works with RCA: PRODIGI Digital - XR150, BR150, BR850, RDR1520, RDR2325, RDR2385, RDR2500, RDR2550, RDR2620, RDR2650, RDR2680
	M	Works with RCA: Commercial Analog Portable - BR200



Image	Part no.	Works With Radio Models:
	SP2	Works with Sepura: SC230 Series, STP8000, STP9000, STP9100, STP9200



Image	Part no.	Works With Radio Models:
	SN	Works with Sonim: XP5S, XP8



Image	Part no.	Works With Radio Models:
	TA	Works with Tait: TP7100/8100 series, TP9300/9400 series, Harris TP3300/TP3350, TP9500/TP9600



Image	Part no.	Works With Radio Models:
	M Digital Ready	Works with Tekk: XU100, XV100, XU1000, XV1000



VISIT US AT [N2W.COM](https://n2w.com)

877-692-5330

RAPIDRESPONSE@[N2W.COM](mailto:RAPIDRESPONSE@N2W.COM)

